


AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions of claims in the application.

Claims 1-18 (canceled)

Claim 19 (previously presented): A synergistic fungicidal active compound combination comprising


(1) a carboxamide of the formula (I) (group 1)



in which

R^1 represents hydrogen, halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,

A represents one of the radicals A1 to A8



R^2 represents C_1 - C_3 -alkyl,

R^3 represents hydrogen, halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,


R^4 represents hydrogen, halogen or C_1 - C_3 -alkyl,

R^5 represents halogen, C_1 - C_3 -alkyl, or C_1 - C_3 -haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms,


R^6 represents hydrogen, halogen, C_1 - C_3 -alkyl, amino, or mono- or di(C_1 - C_3 -alkyl)amino,

R¹⁰ represents hydrogen, halogen, C₁-C₃-alkyl, or C₁-C₃-haloalkyl having 1 to 7 fluorine, chlorine, and/or bromine atoms.


(2) a strobilurin of formula (II)



A^1 represents one of the groups




L represents one of the groups



R¹¹ represents phenyl, phenoxy, or pyridinyl, each of which is optionally mono- or disubstituted by identical or different substituents selected from the group consisting of chlorine, cyano, methyl, and trifluoromethyl; represents 1-(4-chlorophenyl)-pyrazol-3-yl; or represents 1,2-propanedione-bis(O-methyloxime)-1-yl, and

R^{12} represents hydrogen or fluorine;

(3) a triazole of formula (III)



in which

Q represents hydrogen or SH,

m represents 0 or 1,

R¹³ represents hydrogen, fluorine, chlorine, phenyl, or 4-chlorophenoxy,

R¹⁴ represents hydrogen or chlorine,

A⁴ represents a direct bond, -CH₂-, -(CH₂)₂-, or -O-; or represents *-CH₂-CHR¹⁷- or *-CH=CR¹⁷-, where the bond marked with * is attached to the phenyl ring of formula (III) and R¹⁵ and R¹⁷ together represent -CH₂-CH₂-CH[CH(CH₃)₂]- or -CH₂-CH₂-C(CH₃)₂-,

A⁵ represents C or Si (silicon), or

A⁴ represents -N(R¹⁷)- and A⁵ together with R¹⁵ and R¹⁶ represents the group C=N-R¹⁸ and R¹⁷ and R¹⁸ together represent the group




R¹⁵ represents hydrogen, hydroxyl, or cyano,

R¹⁶ represents 1-cyclopropylethyl, 1-chlorocyclopropyl, C₁-C₄-alkyl, C₁-C₆-hydroxyalkyl, C₁-C₄-alkylcarbonyl, C₁-C₂-haloalkoxy-C₁-C₂-alkyl, trimethylsilyl-C₁-C₂-alkyl, monofluorophenyl, or phenyl, or

R¹⁵ and R¹⁶ together represent -O-CH₂-CH(R¹⁸)-O-, -O-CH₂-CH(R¹⁸)-CH₂-, or -O-CH-(2-chlorophenyl)-, and

R¹⁸ represents hydrogen, C₁-C₄-alkyl, or bromine;

(4) a sulphenamide of formula (IV)



in which R¹⁹ represents hydrogen or methyl;


(5) a valinamide selected from the group consisting of

(5-1) iprovalicarb,

(5-2) *N*¹-[2-(4-{[3-(4-chlorophenyl)-2-propynyl]oxy}-3-methoxyphenyl)ethyl]-*N*²-(methylsulphonyl)-D-valinamide, and

(5-3) benthiavalicarb;

(6) a carboxamide of formula (V)




in which

X represents 2-chloro-3-pyridinyl; represents 1-methylpyrazol-4-yl that is substituted in the 3-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine; represents 4-ethyl-2-ethylamino-1,3-thiazol-5-yl; represents 1-methyl-cyclohexyl; represents 2,2-dichloro-1-ethyl-3-methylcyclopropyl; represents 2-fluoro-2-propyl; represents phenyl that is mono- to trisubstituted by identical or different substituents selected from the group consisting of chlorine and methyl; represents 3,4-dichloroisothiazol-5-yl, 5,6-dihydro-2-methyl-1,4-oxathiin-3-yl, 4-methyl-1,2,3-thiadiazol-5-yl, 4,5-dimethyl-2-trimethylsilylthiophen-3-yl, or 1-methylpyrrol-3-yl that is substituted in the 4-position by methyl or trifluoromethyl and in the 5-position by hydrogen or chlorine,

Y represents a direct bond; represents C₁-C₆-alkanediyl (alkylene) that is optionally substituted by chlorine, cyano, or oxo; represents thiophenediyl; or represents C₂-C₆-alkenediyl (alkenylene),

Z represents hydrogen; represents C₁-C₆-alkyl; or represents the group



in which

A⁶ represents CH or N,

R²⁰ represents hydrogen, chlorine, phenyl that is optionally mono- or disubstituted by identical or different substituents selected from

the group consisting of chlorine and di(C₁-C₃-alkyl)amino-carbonyl; or represents cyano or C₁-C₆-alkyl,

R²¹ represents hydrogen or chlorine, or

R²⁰ and R²¹ together represent *-CH(CH₃)-CH₂-C(CH₃)₂- or *-CH(CH₃)-O-C(CH₃)₂- where the bond marked with * is attached to R²⁰, and

R²² represents hydrogen, chlorine, hydroxyl, methyl, or trifluoromethyl; or represents di(C₁-C₃-alkyl)aminocarbonyl;

(7) a dithiocarbamate selected from the group consisting of

(7-1) mancozeb,

(7-2) maneb,

(7-3) metiram,


(7-4) propineb,

(7-5) thiram,

(7-6) zineb, and

(7-7) ziram;

(8) an acylalanine of formula (VI)




in which

* marks a carbon atom in the R or the S configuration, and


R²³ represents benzyl, furyl, or methoxymethyl;

(9) an anilinopyrimidine of formula (VII)



in which R²⁴ represents methyl, cyclopropyl, or 1-propynyl;

- (10) a benzimidazole of formula (VIII)




in which

R²⁵ and R²⁶ each represent hydrogen or together represent -O-CF₂-O-,

R²⁷ represents hydrogen, C₁-C₄-alkylaminocarbonyl, or 3,5-dimethyl-isoxazol-4-ylsulphonyl, and

R²⁸ represents chlorine, methoxycarbonylamino, chlorophenyl, furyl, or thiazolyl;

- (11) a carbamate of formula (IX)



or a salt thereof,

in which

R²⁹ represents n- or isopropyl, and

R³⁰ represents di(C₁-C₂-alkyl)amino-C₂-C₄-alkyl or diethoxyphenyl,

- (12) a dicarboximide selected from the group consisting of

(12-1) captafol,

(12-2) captan,

(12-3) folpet,

(12-4) iprodione,

(12-5) procymidone, or

(12-6) vinclozolin;

- (13) a guanidine selected from the group consisting of

(13-1) dodine,

(13-2) guazatine,

(13-3) iminoctadine triacetate, and


(13-4) iminoctadine tris(albesilate);

- (14) an imidazole selected from the group consisting of

(14-1) cyazofamid,

(14-2) prochloraz,


- (14-3) triazoxide, and
 (14-4) pefurazoate;
 (15) a morpholine of formula (X)



in which

R^{31} and R^{32} independently of one another represent hydrogen or methyl,
 R^{33} represents C_1 - C_{14} -alkyl, C_5 - C_{12} -cycloalkyl, phenyl- C_1 - C_4 -alkyl that is optionally substituted in the phenyl moiety by halogen or C_1 - C_4 -alkyl; or represents acrylyl that is substituted by chlorophenyl or dimethoxy-phenyl;


- (16) a pyrrole of general formula (XI)



in which

R^{34} represents chlorine or cyano,
 R^{35} represents chlorine or nitro, and
 R^{36} represents chlorine, or
 R^{35} and R^{36} together represent $-O-CF_2-O-$;


- (17) a phosphonate selected from the group consisting of
 (17-1) fosetyl-Al, and
 (17-2) phosphonic acid;
 (18) a phenylethanamide of formula (XII)



in which R³⁷ represents unsubstituted or fluorine-, chlorine-, bromine-, methyl-, or ethyl-substituted phenyl, 2-naphthyl, 1,2,3,4-tetrahydronaphthyl, or indanyl;

- (19) a fungicides selected from the group consisting of
- (19-1) acibenzolar-S-methyl,
 - (19-2) chlorothalonil,
 - (19-3) cymoxanil,
 - (19-4) edifenphos,
 - (19-5) famoxadone,
 - (19-6) fluazinam,
 - (19-7) copper oxychloride,
 - (19-8) copper hydroxide,
 - (19-9) oxadixyl,
 - (19-10) spiroxamine,
 - (19-11) dithianon,
 - (19-12) metrafenone,
 - (19-13) fenamidone,
 - (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
 - (19-15) probenazole,
 - (19-16) isoprothiolane,
 - (19-17) kasugamycin,
 - (19-18) phthalide,
 - (19-19) ferimzone,
 - (19-20) tricyclazole,
 - (19-21) N-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide, and
 - (19-22) 2-(4-chlorophenyl)-N-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]-ethyl}-2-(prop-2-yn-1-yloxy)acetamide;
- (20) a (thio)urea derivative selected from the group consisting of
- (20-1) pencycuron,
 - (20-2) thiophanate-methyl, and
 - (20-3) thiophanate-ethyl;


(21) an amide of formula (XIII)



in which

- A^7 represents a direct bond or -O-,
 A^8 represents -C(=O)NH- or -NHC(=O)-,
 R^{38} represents hydrogen or C₁-C₄-alkyl, and
 R^{39} represents C₁-C₆-alkyl;


(22) a triazolopyrimidine of formula (XIV)



in which

- R^{40} represents C₁-C₆-alkyl or C₂-C₆-alkenyl,
 R^{41} represents C₁-C₆-alkyl, or
 R^{40} and R^{41} together represent C₄-C₅-alkanediyl (alkylene) that is mono- or disubstituted by C₁-C₆-alkyl,
 R^{42} represents bromine or chlorine,
 R^{43} and R^{47} independently of one another represent hydrogen, fluorine, chlorine, or methyl,
 R^{44} and R^{46} independently of one another represent hydrogen or fluorine, and
 R^{45} represents hydrogen, fluorine or methyl;


(23) an iodochromone of general formula (XV)



in which

- R^{48} represents C₁-C₆-alkyl, and
 R^{49} represents C₁-C₆-alkyl, C₂-C₆-alkenyl or C₂-C₆-alkynyl; and

(24) a biphenylcarboxamide of formula (XVI)




in which

R^{50} represents hydrogen or fluorine,

R^{51} represents fluorine, chlorine, bromine, methyl, trifluoromethyl, trifluoromethoxy, $-\text{CH}=\text{N}-\text{OMe}$, or $-\text{C}(\text{Me})=\text{N}-\text{OMe}$,

R^{52} represents hydrogen, fluorine, chlorine, bromine, methyl, or trifluoromethyl,

Het represents one of the radicals Het1 to Het7



R^{53} represents iodine, methyl, difluoromethyl, or trifluoromethyl,

R^{54} represents hydrogen, fluorine, chlorine, or methyl,

R^{55} represents methyl, difluoromethyl, or trifluoromethyl,


R^{56} represents chlorine, bromine, iodine, methyl, difluoromethyl, or trifluoromethyl, and

R^{57} represents methyl or trifluoromethyl.

Claim 20 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 in which, for the carboxamide of formula (I),

R¹ represents hydrogen, fluorine, chlorine, methyl, ethyl, n-, isopropyl, monofluoromethyl, difluoromethyl, trifluoromethyl, monochloromethyl, dichloromethyl, or trichloromethyl,

A represents one of the radicals A1 to A5



R² represents methyl, ethyl, or n- or isopropyl,

R³ represents iodine, methyl, difluoromethyl, or trifluoromethyl,

R⁴ represents hydrogen, fluorine, chlorine, or methyl,

R⁵ represents chlorine, bromine, iodine, methyl, difluoromethyl, or trifluoromethyl,

R⁶ represents hydrogen, chlorine, methyl, amino, or dimethylamino,

R⁷ represents methyl, difluoromethyl, or trifluoromethyl,

R⁸ represents bromine or methyl, and

R⁹ represents methyl or trifluoromethyl.

Claim 21 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 where the active compound of groups (2) to (24) is one or more compounds selected from the group consisting of

- (2-1) azoxystrobin,
- (2-2) fluoxastrobin,
- (2-3) (2*E*)-2-(2-([6-(3-chloro-2-methylphenoxy)-5-fluoro-4-pyrimidinyl]oxy}phenyl)-2-(methoxyimino)-*N*-methylethanamide,
- (2-4) trifloxystrobin,
- (2-5) (2*E*)-2-(methoxyimino)-*N*-methyl-2-(2-([[(1*E*)-1-[3-(trifluoromethyl)phenyl]ethyliden}amino]oxy)methyl}phenyl)ethanamide,
- (2-6) (2*E*)-2-(methoxyimino)-*N*-methyl-2-{2-[(*E*)-({1-[3-(trifluoromethyl)phenyl]ethoxy}imino)methyl}phenyl}ethanamide,
- (2-7) orysastrobin,
- (2-8) 5-methoxy-2-methyl-4-(2-([[(1*E*)-1-[3-(trifluoromethyl)phenyl]ethyliden}-amino]oxy)methyl}phenyl)-2,4-dihydro-3*H*-1,2,4-triazol-3-one,

- (2-9) kresoxim-methyl,
- (2-10) dimoxystrobin,
- (2-11) picoxystrobin,
- (2-12) pyraclostrobin,
- (2-13) metominostrobin,
- (3-1) azaconazole,
- (3-2) etaconazole,
- (3-3) propiconazole,
- (3-4) difenoconazole,
- (3-5) bromuconazole,
- (3-6) cyproconazole,
- (3-7) hexaconazole,
- (3-8) penconazole,
- (3-9) myclobutanil,
- (3-10) tetraconazole,
- (3-11) flutriafol,
- (3-12) epoxiconazole,
- (3-13) flusilazole,
- (3-14) simeconazole,
- (3-15) prothioconazole,
- (3-16) fenbuconazole,
- (3-17) tebuconazole,
- (3-18) ipconazole,
- (3-19) metconazole,
- (3-20) triticonazole,
- (3-21) bitertanol,
- (3-22) triadimenol,
- (3-23) triadimefon,
- (3-24) fluquinconazole,
- (3-25) quinconazole,
- (4-1) dichlofluanid,
- (4-2) tolylfluanid,
- (5-1) iprovalicarb,

- (5-3) benthiavalicarb,
- (6-1) 2-chloro-N-(1,1,3-trimethylindan-4-yl)nicotinamide,
- (6-2) boscalid,
- (6-3) furametpyr,
- (6-4) N-(3-p-tolylthiophen-2-yl)-1-methyl-3-trifluoromethyl-1H-pyrazole-4-carboxamide,
- (6-5) ethaboxam,
- (6-6) fenhexamid,
- (6-7) carpropamid,
- (6-8) 2-chloro-4-(2-fluoro-2-methylpropionylamino)-N,N-dimethylbenzamide,
- (6-9) picobenzamid,
- (6-10) zoxamide,
- (6-11) 3,4-dichloro-N-(2-cyanophenyl)isothiazole-5-carboxamide,
- (6-12) carboxin,
- (6-13) tiadinil,
- (6-14) penthiopyrad,
- (6-15) silthiofam,
- (6-16) *N*-[2-(1,3-dimethylbutyl)phenyl]-1-methyl-4-(trifluoromethyl)-1*H*-pyrrole-3-carboxamide,
- (7-1) mancozeb,
- (7-2) maneb,
- (7-3) metiram,
- (7-4) propineb,
- (7-5) thiram,
- (7-6) zineb,
- (7-7) ziram,
- (8-1) benalaxyl,
- (8-2) furalaxyl,
- (8-3) metalaxyl,
- (8-4) metalaxyl-M,
- (8-5) benalaxyl-M,
- (9-1) cyprodinil,
- (9-2) mepanipyrim,

- (9-3) pyrimethanil,
- (10-1) 6-chloro-5-[(3,5-dimethylisoxazol-4-yl)sulphonyl]-2,2-difluoro-5H-[1,3]dioxolo[4,5-f]benzimidazole,
- (10-2) benomyl,
- (10-3) carbendazim,
- (10-4) chlorfenazole,
- (10-5) fuberidazole,
- (10-6) thiabendazole,
- (11-1) diethofencarb,
- (11-2) propamocarb,
- (11-3) propamocarb-hydrochloride,
- (11-4) propamocarb-fosetyl,
- (12-1) captafol,
- (12-2) captan,
- (12-3) folpet,
- (12-4) iprodione,
- (12-5) procymidone,
- (12-6) vinclozolin,
- (13-1) dodine,
- (13-2) guazatine,
- (13-3) iminoctadine triacetate,
- (14-1) cyazofamid,
- (14-2) prochloraz,
- (14-3) triazoxide,
- (14-4) pefurazoate,
- (15-1) aldimorph,
- (15-2) tridemorph,
- (15-3) dodemorph,
- (15-4) fenpropimorph,
- (15-5) dimethomorph,
- (16-1) fenpiclonil,
- (16-2) fludioxonil,
- (16-3) pyrrolnitrin,

- (17-1) fosetyl-Al,
- (17-2) phosphonic acid,
- (18-1) 2-(2,3-dihydro-1H-inden-5-yl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-2) N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)-2-(5,6,7,8-tetrahydronaphthalen-2-yl)acetamide,
- (18-3) 2-(4-chlorophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-4) 2-(4-bromophenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-5) 2-(4-methylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (18-6) 2-(4-ethylphenyl)-N-[2-(3,4-dimethoxyphenyl)ethyl]-2-(methoxyimino)acetamide,
- (19-1) acibenzolar-S-methyl,
- (19-2) chlorothalonil,
- (19-3) cymoxanil,
- (19-4) edifenphos,
- (19-5) famoxadone,
- (19-6) fluazinam,
- (19-7) copper oxychloride,
- (19-9) oxadixyl,
- (19-10) spiroxamine,
- (19-11) dithianon,
- (19-12) metrafenone,
- (19-13) fenamidone,
- (19-14) 2,3-dibutyl-6-chlorothieno[2,3-d]pyrimidin-4(3H)-one,
- (19-15) probenazole,
- (19-16) isoprothiolane,
- (19-17) kasugamycin,
- (19-18) phthalide,
- (19-19) ferimzone,
- (19-20) tricyclazole,

- (19-21) *N*-({4-[(cyclopropylamino)carbonyl]phenyl}sulphonyl)-2-methoxybenzamide,
- (19-22) 2-(4-chlorophenyl)-*N*-{2-[3-methoxy-4-(prop-2-yn-1-yloxy)phenyl]ethyl}-2-(prop-2-yn-1-yloxy)acetamide,
- (20-1) pencycuron,
- (20-2) thiophanate-methyl,
- (20-3) thiophanate-ethyl,
- (21-1) fenoxanil,
- (21-2) diclocymet,
- (22-1) 5-chloro-*N*-[(1*S*)-2,2,2-trifluoro-1-methylethyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine,
- (22-2) 5-chloro-*N*-[(1*R*)-1,2-dimethylpropyl]-6-(2,4,6-trifluorophenyl)-[1,2,4]triazolo[1,5-*a*]pyrimidine-7-amine,
- (22-3) 5-chloro-6-(2-chloro-6-fluorophenyl)-7-(4-methylpiperidin-1-yl)-[1,2,4]triazolo[1,5-*a*]pyrimidine,
- (22-4) 5-chloro-6-(2,4,6-trifluorophenyl)-7-(4-methylpiperidin-1-yl)-[1,2,4]triazolo[1,5-*a*]pyrimidine,
- (23-1) 2-butoxy-6-iodo-3-propylbenzopyran-4-one,
- (23-2) 2-ethoxy-6-iodo-3-propylbenzopyran-4-one,
- (23-3) 6-iodo-2-propoxy-3-propylbenzopyran-4-one,
- (23-4) 2-but-2-ynyloxy-6-iodo-3-propylbenzopyran-4-one,
- (23-5) 6-iodo-2-(1-methylbutoxy)-3-propylbenzopyran-4-one,
- (23-6) 2-but-3-enyloxy-6-iodobenzopyran-4-one,
- (23-7) 3-butyl-6-iodo-2-isopropoxybenzopyran-4-one,
- (24-1) *N*-(3',4'-dichloro-5-fluoro-1,1'-biphenyl-2-yl)-3-(difluoromethyl)-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-2) 3-(difluoromethyl)-*N*-{3'-fluoro-4'-[(*E*)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-3) 3-(trifluoromethyl)-*N*-{3'-fluoro-4'-[(*E*)-(methoxyimino)methyl]-1,1'-biphenyl-2-yl}-1-methyl-1*H*-pyrazole-4-carboxamide,
- (24-4) *N*-(3',4'-dichloro-1,1'-biphenyl-2-yl)-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide,
- (24-5) *N*-(4'-chloro-3'-fluoro-1,1'-biphenyl-2-yl)-2-methyl-4-(trifluoromethyl)-1,3-thiazole-5-carboxamide,

- (24-6) *N*-(4'-chloro-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide,
- (24-7) *N*-(4'-bromo-1,1'-biphenyl-2-yl)-4-(difluoromethyl)-2-methyl-1,3-thiazole-5-carboxamide, and
- (24-8) 4-(difluoromethyl)-2-methyl-*N*-[4'-(trifluoromethyl)-1,1'-biphenyl-2-yl]-1,3-thiazole-5-carboxamide.

Claim 22 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-8) 5-fluoro-1,3-dimethyl-*N*-[2-(1,3,3-trimethylbutyl)phenyl]-1*H*-pyrazole-4-carboxamide.

Claim 23 (previously presented): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-8) 5-fluoro-1,3-dimethyl-*N*-[2-(1,3,3-trimethylbutyl)phenyl]-1*H*-pyrazole-4-carboxamide and at least one active compound selected from groups (2) to (24).

Claim 24 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-2) *N*-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide.

Claim 25 (previously presented): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-2) *N*-[2-(1,3-dimethylbutyl)phenyl]-5-fluoro-1,3-dimethyl-1*H*-pyrazole-4-carboxamide and at least one active compound selected from groups (2) to (24).

Claim 26 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-15) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-(trifluoromethyl)benzamide.

Claim 27 (previously presented): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-15) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-(trifluoromethyl)benzamide and at least one active compound selected from groups (2) to (24).

Claim 28 (previously presented): A synergistic fungicidal active compound combination according to Claim 19 wherein the carboxamide is (1-13) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide.

Claim 29 (previously presented): A synergistic fungicidal active compound combination according to Claim 21 comprising the carboxamide (1-13) *N*-[2-(1,3-dimethylbutyl)phenyl]-2-iodobenzamide and at least one active compound selected from groups (2) to (24).

Claim 30 (previously presented): A method comprising applying an effective amount of an active compound combination according to Claim 19 to seed.

Claim 31 (previously presented): Seed treated with a synergistic fungicidal active compound combination according to Claim 19.

Claim 32 (previously presented): A method of controlling unwanted phytopathogenic fungi comprising applying an effective amount of one or more active compound combinations according to Claim 19 to the unwanted phytopathogenic fungi and/or their habitat and/or seed for which such control is desired.

Claim 33 (previously presented): A method of protecting transgenic plants from unwanted phytopathogenic fungi comprising applying an effective amount of an active compound combination according to Claim 19 to the transgenic plants and/or their habitat.

Claim 34 (previously presented): A method according to Claim 30 wherein the seed is the seed of a transgenic plant.

Claim 35 (previously presented): A process for preparing fungicidal compositions comprising mixing one or more active compound combinations according to Claim 19 with one or more extenders and/or surfactants.